

# INDEX TO VOLUME XX

## INDEX TO AUTHORS AND TITLES

- Abou-El-Seoud, Mohamed O. See Gray and Abou-El-Seoud 119, 251, 372
- Akeson, Walter R., and Mark A. Stahmann. Leaf protein concentrates: a comparison of protein production per acre of forage with that from seed and animal crops 244
- Baranov, A. Recent advances in our knowledge of the morphology, cultivation and uses of ginseng (*Panax ginseng* C. A. Meyer) 403
- Barkley, T. M. A review of the origin and development of the florists' cineraria, *Senecio cruentus* 386
- Barnes, Donald K., and Ruben H. Freyre. Recovery of natural insecticide from *Tephrosia vogelii*. I. Efficiency of rotenoid extraction from fresh and oven-dried leaves 279
- . Recovery of natural insecticides from *Tephrosia vogelii*. II. Toxicological properties of rotenoids extracted from fresh and oven-dried leaves 368
- Bezuneh, Taye, and Asrat Feleke. The production and utilization of the genus *Ensete* in Ethiopia 65
- Burk, L. G., and H. E. Heggstad. The genus *Nicotiana*: a source of resistance to disease of cultivated tobacco 76
- Callen, Eric O. See Smith et al. 446
- Camp, Bennie J., and Michael J. Norvell. The phenylethylamine alkaloids of native range plants 274
- Covich, Alan P. See Nickerson and Covich 434
- , and Norton H. Nickerson. Studies of cultivated plants in choco dwelling clearings, Darian, Panama 285
- Cutler, Hugh C. See Smith et al. 446
- . See Whitaker and Cutler 6
- Decossas, K. M. See Lambou et al. 256
- Earle, F. R. See Jones and Earle 127
- Eslick, R. F. See Goering et al. 429
- Feleke, Asrat. See Bezuneh and Feleke 65
- Fogg, George G. The pinyon pines and man 103
- Freyre, Ruben H. See Barnes and Freyre 279, 368
- Gade, Daniel W. Achira, the edible Canna, its cultivation and use in the Peruvian Andes 407
- Galinat, Walton C. The evolution of glumeless sweet corn 441
- . See Smith et al. 446
- Genest, K., and M. R. Sahasrabudhe. Alkaloids and lipids of *Ipomoea*, *Rivea* and *Convolvulus* and their application to chemotaxonomy 416
- Goering, K. J., R. F. Eslick, C. A. Watson, and Jiun Keng. Utilization and agronomic studies of cow cockle (*Saponaria vaccaria*) 429
- Goor, Asaph. The history of the grape-vine in the Holy Land 46
- . The place of the olive in the Holy Land and its history through the ages 223
- Graves, R. R. See Hesseltine and Graves 156
- Gray, William D. Fungal protein for food and feeds. I. Introduction 89
- , and Mohamed O. Abou-El-Seoud. Fungal protein for food and feeds. II. Whole sweet potato as a substrate 119
- , and ———. Fungal protein for food and feeds. III. Manioc as a potential crude raw material for tropical areas 251
- , and ———. Fungal protein for food and feeds. IV. Whole sugar beets or beet pulp as a substrate 372
- Gupta, U. S. See Madan et al. 377
- Heggstad, H. E. See Burk and Heggstad 76
- Helback, Hans. 1966—Commentary on the phylogenesis of *Triticum* and *Hordeum* 350
- Hesseltine, C. W., and R. R. Graves. Microbiology of flours 156
- Jennings, Peter R. Evolution of plant type in *Oryza sativa* 396
- Johannessen, Carl L. Penibaye palm: yields, prices and labor costs 302
- Jones, Quentin, and F. R. Earle. Chemical analyses of seeds II: oil and protein content of 759 species 127
- Kaplan, Lawrence. See Smith et al. 446
- Kapur, B. M. See Madan et al. 377
- Keng, Jiun. See Goering et al. 429

- Kerdel-Vegas, Francisco. The depilatory and cytotoxic action of "Coco de Mono" (*Lecythis ollaria*) and its relationship to chronic seleniosis 187
- Kneebone, William R. Bermuda grass—worldly, wily, wonderful weed 94
- Lambou, M. G., R. L. Shaw, K. M. Decossas, and H. L. E. Vix. Cottonseed's role in a hungry world 256
- Madan, C. L., B. M. Kapur, and U. S. Gupta. Saffron 377
- Matsumoto, Hiromu. See Whiting et al. 98
- McCollum, Gilbert D. Occurrence of petaloid stamens in wild carrot (*Daucus carota*) 361
- Mengesha, Melak H. Chemical composition of teff (*Eragrostis tef*) compared with that of wheat, barley and grain sorghum 268
- Morton, Julia F. The cajuput tree—a boon and an affliction 31
- Nickerson, Norton H. See Covich and Nickerson 285
- , and Alan P. Covich. Collection of maize from Darien, Panama 434
- Norvell, Michael J. See Camp and Norvell 274
- Ree, Jeung Haeng. Hemp growing in the Republic of Korea 176
- Roia, Frank C., Jr. The use of plants in hair and scalp preparations 17
- Sahasrabudhe, M. R. See Genest and Sahasrabudhe 416
- Shaw, R. L. See M. G. Lambou et al. 256
- Smith, C. Earle, Jr. Archeological evidence for selection in avocado 169
- et al. Bibliography of American archaeological plant remains 446
- Spatz, Maria. See Whiting et al. 98
- Stahmann, Mark A. See Akeson and Stahmann 244
- Toy, S. J., and B. C. Willingham. Effect of temperature on seed germination of ten species and varieties of *Limnanthes* 71
- Vasaniya, P. C. Palm sugar—a plantation industry in India 40
- Vix, H. L. E. See Lambou et al. 256
- Watson, C. A. See Goering et al. 429
- Westing, Arthur H. Sugar maple decline: an evaluation 196
- Whitaker, Thomas W. See Smith et al. 446
- , and Hugh C. Cutler. Food plants in a Mexican market 6
- Whiting, Alfred F. The present state of ethnobotany in the Southwest 316
- Whiting, Marjorie, Maria Spatz, and Hiromu Matsumoto. Research progress on cycads 98
- Willingham, B. C. See Toy and Willingham 71
- Wolff, Ivan A. New crops—visionary dream or practical reality 2
- Yarnell, Richard A. See Smith et al. 446

## INDEX TO REVIEWS AND NOTICES

- Altschul, Aaron M. Proteins—their chemistry and politics; review 111
- Announcement 349
- Bakuzis, E. V., and H. L. Hansen. Balsam fir, *Abies balsamea* (Linnaeus) Miller—a monographic review; review 115
- Bandoni, Robert J. and Adam F. Szczawinski. Guide to common mushrooms of British Columbia; review 334
- Batson, Wade T. Wild flowers in South Carolina; review 336
- Beekman, W. Boerhave. Elsevier's wood dictionary in seven languages. Vol. 1; review 112
- Benigni, R., C. Capra, and P. E. Cattorini. *Plante medicinali. Chimica, farmacologia e terapia*; review 327
- Billings, W. D. Plants and the ecosystem; review 334
- Blaker, Alfred E. Photography for scientific publication; review 461
- Brevbaker, James L. Agricultural genetics; review 328
- Burgess, A. H. Hops. Botany, cultivation and utilization; review 346
- Campbell, Carlos C. et al. Great Smoky Mountains wildflowers; review 233
- Case, Frederick W., Jr. Orchids of the western Great Lakes region; review 113
- Chen, K. K., and B. Mukerji (ed.). Pharmacology of Oriental plants; review 340
- Chow, Senyuan (ed.). China [Republic of] Yearbook, 1963-64; review 462
- Christidis, Basil G. To Bambaki (cotton); review 344
- Claus, Edward P., and Varro E. Tyler. Pharmacognosy; review 347
- Cooney, Donald G., and Ralph Emerson. Thermophilic fungi; review 327

- Corbett, M. K., and H. D. Sisler (ed.). Plant virology; review 219
- Cotton Research Institute. Christidis, Basil George (1902-1906); biography 222
- Coulter, Merle C. The story of the plant kingdom; review 344
- Cragg, J. B. (ed.). Advances in ecological research. Vol. 2; review 218
- . Advances in ecological research. Vol. 3; review 469
- Daubs, Edwin Horace. A monograph of Lamnaceae; review 469
- Delevoryas, Theodore. Plant diversification; review 462
- Dittmer, Howard J. Phylogeny and form in the plant kingdom; review 218
- Eckardt, F. E. (ed.). Methodology of plant eco-physiology. Proceedings of the Montpelier Symposium; review 471
- Fassett, Norman C. A manual of aquatic plants; review 468
- Feuell, A. J. Insecticides; review 465
- Fitzpatrick, Frederick L. Our plant resources. Plants and their economic importance; review 330
- Fowells, H. A. Silvics of forest trees of the United States; review 462
- Frisch, Rose E. Plants that feed the world; review 467
- Gleason, Henry A., and Arthur Cronquist. The natural geography of plants; review 329
- Gooding, E. G. B. et al. Flora of Barbados; review 219
- Grant, Verne and Karen A. Grant. Flower pollination in the phlox family; review 326
- Grew, Nehemiah. The anatomy of plants; review 464
- Grillos, Steve J. Ferns and fern allies of California; review 466
- Hawkes, Alex D. Encyclopaedia of cultivated orchids; review 215
- Hutchinson, J. The genera of flowering plants. (Angiospermae). Dicotyledones. Vol. 1; review 337
- Hitchinson, Sir Joseph (ed.). Essays on crop plant evolution; review 213
- Karling, John S. Synchytrium; review 332
- Kingsbury, John M. Deadly harvest; review 109
- Knigge, Wolfgang and Horst Schulz. Grundriss der Forstbenutzung: Entstehung, Eigenschaften, Verwertung und Verwendung des Holzes und anderer Forstprodukte; review 470
- Kormondy, Edward J. Readings in ecology; review 217
- Kozlowski, Theodore T. Water metabolism in plants; review 109
- Kreig, Margaret B. Green medicine; review 335
- Kremp, Gerhard O. W. Morphologic encyclopedia of palynology. An international collection of definitions and illustrations of spores and pollen; review 468
- Küchler, A. W. (ed.). International bibliography of vegetation maps; review 471
- Lakela, Olga. A flora of northeastern Minnesota; review 347
- Lewin, Louis (ed.). Phantastica, narcotics and stimulating drugs. Their use and abuse; review 331
- Malyuga, Dmitrii Petrovich. Biogeochemical methods of prospecting; review 113
- Manning, S. A. Systematic guide to flowering plants of the world; review 216
- McClure, F. A. The bamboos. A fresh perspective; review 347
- Montgomery, F. H. Weeds of Canada and the northern United States; review 333
- Neal, Marie C. In gardens of Hawaii; review 108
- News of the Society for Economic Botany 1, 117, 221
- Parham, John W. Plants of the Fiji Islands; review 344
- Percival, Mary S. Floral biology; review 343
- Perry, Lynn R. Bonsai: trees and shrubs—a guide to the methods of Kyuzo Murata; review 114
- Peterson, P. Victor. Native trees of Southern California; review 466
- Preston, R. D. (ed.). Advances in botanical research. Vol. 2; review 466
- Preston, Richard J., Jr. North American trees (exclusive of Mexico and tropical United States); review 467
- Purvis, M. J., D. C. Collier, and D. Walls. Laboratory techniques in botany; review 338
- Raven, Peter H. Native shrubs of Southern California; review 463
- Reisigl, Herbert (ed.). Blumen-Paradiese der Welt; review 113
- Riollé, Y. Trouard. Les plantes médicinales; review 330
- Rogers, Walter E. Tree flowers of forest, park and street; review 461
- Rosenfeld, Irene, and Orville A. Beath. Selenium. Geobotany, biochemistry, toxicity, and nutrition; review 340
- Rutter, A. J., and F. W. Whitehead (ed.). The water relations of plants; review 109
- Seagal, Robert F. et al. An evolutionary survey of the plant kingdom; review 218
- Schultes, R. E. P. Maheshwari; in memoriam 221
- Sim, Stephen K. Medicinal plant alkaloids. An introduction for pharmacy students; review 468
- Sirks, M. J., and Conway Zinkle. The evolution of biology; review 217

- Steward, F. C. About plants: topics in plant biology; review 465  
 Strausbaugh, P. D., and Earl L. Core. Flora of West Virginia; review 464  
 Stupka, Arthur. Trees, shrubs, and woody vines of Great Smoky Mountains National Park; review 338  
 Taylor, Norman. Plant drugs that changed the world; review 115  
 Taylor, T. M. C. The lily family (liliaceae) of British Columbia; review 463  
 Thomas, K. Bryn. Curare. Its history and usage; review 114  
 Thompson, Eloise Reid, and Edna Wolf Miner. Wildflower portraits; review 219  
 Turrill, W. B. (ed.). Vistas in botany. Vol. 4; review 216  
 Villax, E. J. La culture des plantes fouragères dans La Région Méditerranéenne Occidentale; review 115  
 Watson, E. V. The structure and life of bryophytes; review 328  
 Wheeler, Margaret F., and Wesley A. Volk. Basic microbiology; review 345  
 Zimmermann, Martin H. (ed.). The formation of wood in forest trees; review 339  
 Zhukovsky, P. M. Cultivated plants and their wild relatives. Taxonomy, geography, cytogenetics, ecology, origin, utilization; review 106

## INDEX TO GENERIC AND SPECIFIC NAMES

- Abrus precatorius* 138  
*Absidia italicus* 163  
*Abutilon americanum* 143  
*Acacia* 274; *angustissima* 128, 274-277;  
   *baileyana* 138; *berlandieri* 277; *catechu* 25;  
   *constricta* 138, 274-277; *cultriformis* 274;  
   *cyanophylla* 138; *elata* 138; *farnesiana* 138,  
   275-277; *floribunda* 274; *greggii* 138,  
   274-277; *hakeoides* 274; *linearis* 138; *lini-*  
   *folia* 274; *longifolia*, 138, 274; *lunata* 274;  
   *madienii* 274; *pennatula* 138; *podalyri-*  
   *aefolia* 274; *pravissima* 274; *prominens*  
   274; *rigidula* 274-277; *roemeriana* 274-277;  
   *scaffneri* 138; *schottii* 274-277; *senegal* 22,  
   25, 27; *suaveolens* 138, 274; *texensis*  
   274-277  
*Acanthus hirsutus* 148; *mollis* 148  
*Acer buergerianum* 142; *cissifolium* 142; *ne-*  
   *gundo* 142, 204; *pseudo-platanus* 202;  
   *rubrum* 206; *saccharum* 196-213; var. *bar-*  
   *batum* 206; var. *grandidentatum* 206; var.  
   *nigrum* 206; *truncatum* 142  
*Achillea filipendulina* 149; *millefolium* 149  
*Achras zapota* 292  
*Achromobacter* 157, 161  
*Aconitum napellus* 134  
*Acrocomia mexicana* 8, 12  
*Actaea rubra* 134  
*Adenanthera pavonina* 138  
*Adenoncos* 215  
*Adenophora trifolia* 149; *potaninii* 149  
*Adlumia fungosa* 135  
*Adonis aestivalis* 134; *autumnalis* 134; *flam-*  
   *mea* 134  
*Aegilops* 352, 355; *speltoides* 214; *squarrosa*  
   214, 355  
*Aerobacter aerogenes* 157  
*Aeschynomene indica* 138  
*Aesculus octandra* 142; *turbinata* 142  
*Agastache urticifolia* 147  
*Agave americana* 412; *geminiflora* 132; *po-*  
   *trerana* 132  
*Agropyron cristatum* 131; *cristatum* X *Triti-*  
   *cum* 131; *repens* 131  
*Agrostemma githago* 134  
*Ajuga chia* 147  
*Akebia quinata* 135; *trifoliata* 135  
*Alcaligenes fecalis* 161  
*Aleurites fordii* 26; *trisperma* 141  
*Allium* 102, 292; *cepa* 9; *drummondii* 132;  
   *sativum* 9, 21, 26  
*Alnus cordifolia* 133; *incana* 133  
*Alopecurus arundinaceus* 131; *pratensis* 131  
*Alternaria* 159, 163, 405; *longipes* 83; *panax*  
   405  
*Alvaradoa amorphoides* 141  
*Alysicarpus vaginalis* 138  
*Alyssum campestre* 135; *desycarpum* 135;  
   *minimum* 135; *saxatile* 135; var. *luteum*  
   135; *tortuosum* 135  
*Amaranthus* 10, 318; *caudatus* 134; *leucocarpus*  
   11; *viridis* 134  
*Amblyolepis setigera* 149  
*Amburena* 138  
*Amelanchier alnifolia* 137  
*Ameria pseud-armeria* 146  
*Amicia zygomis* 138  
*Ammi majus* 144  
*Ammobium alatum* 149; var. *grandiflorum* 149  
*Ammoselinum popei* 144  
*Amoreuxia palmatifida* 144  
*Anacardium* 290  
*Anagallis arvensis* 146  
*Anamirta cocculus* 27  
*Ananas* 288; *comosus* 8, 292  
*Achusa hybrida* 147  
*Andropogon gerardi* 131; *hallii* 131; *scoparius*  
   131; *ternarius* 131  
*Anemone decapetala* 134  
*Angelica ampla* 144; *archangelica* 144  
*Annona cherimola* 8, 409; *muricata* 292; *retic-*  
   *ulata* 8  
*Annulus orae* 86  
*Anoda cristata* 143  
*Anogeissus latifolia* 23, 25  
*Anthemis nobilis* 24, 25; *tinctoria* 149; var.  
   *kelwayi* 149  
*Anthriscus cerefolium* 145

- Antigonon leptopus* 133  
*Aphanostephus arizonicus* 149  
*Apium graveolens* 23, 26  
*Aquilegia* 134; alpina 134; caerulea 134  
*Arabis* 135; alpina 135; glabra 135; laevigata 135  
*Arachis hypogaea* 11, 22, 25, 26  
*Arbutus menziesii* 145; unedo 145  
*Aretium minus* 149  
*Argemone albiflora* 135; intermedia 135  
*Argyreia nervosa* 416, 424  
*Aristolochia maurorum* 133  
*Armillaria mellea* 199  
*Arrabidaea* 148  
*Arracacia xanthorrhiza* 408  
*Arrhenatherum elatius* 131  
*Artemisia absinthium* 149  
*Artocarpus altilis* 292  
*Arvicola arvalis* 384  
*Asclepias subverticillata* 146; tuberosa 146  
*Aspergillus* 162-165; candidus 157-159, 163, 165; chevalieri 165; flavus 159, 163, 164; flavus-oryzae 161-165; fumigatus 163; glaucus 158-165; niger 93, 163, 164; ochraceus 159, 163; repens 164; tamari 164; versicolor 163  
*Aster novae-angliae* 149; novi-belgii 149; tenacetifolius 149; tongolensis 149  
*Astragalus crassicaarpus* 138; gummifer 22, 26, 27; hamosus 138; nuttalianus 138; panduratus 138; racemosus 138  
  
*Baccharis halimifolia* 149; sarothroides 149; vaccinioides 149  
*Bacillus* 161; bulgaricus 164; mesentericus 156, 157, 161; panis 156; subtilis 156, 161, 163  
*Bahia glandulos* 149  
*Baptisia leucantha* 138; viridis 138  
*Barbarea vulgaris* 135  
*Bauhinia* 138  
*Beta vulgaris* 9, 27; var. cicla 10  
*Betula* 200; alba 21, 24, 26; alleghaniensis 197; lenta 21, 25; papyrifera 205; platyphylla 133  
*Bidens pilosa* 149; f. radiata 149  
*Bifora americana* 145  
*Bixa orellana* 144, 293, 297  
*Boconia arborea* 135  
*Boreava orientalis* 135  
*Boronia megastigma* 141  
*Bothriochloa caucasica* 131; ischaemum 131; saccharoides 131  
*Botrytis* 162  
*Bowenia* 98  
*Brachysporium oosporum* 252, 372  
*Brassica* 136, 288, 292; integrifolia var. carinata 67; campestris 135; juncea 135; napus 26, 136; nigra 22-26, 136; oleracea 10; rapa 136  
*Brazoria acutellarioides* 147  
*Brickellia scoparia* var. subauriculata 149  
*Briza spicata* 131  
*Bromus* 131  
*Brongniartia alamosana* 138  
*Browallia americana* 147  
*Bumelia laetevirens* 8  
  
*Bursera confusa* 141; grandifolia 141; inopinata 141  
  
*Cacalia appendiculata* 388; decomposita 149; echinata 388; tuberosa 149  
*Caesalpinia echinata* 25  
*Cajanus* 288; cajan 138, 292  
*Cajuputi leucadendra* 31  
*Calea urticaefolia* 149  
*Calendula officinalis* 149, 380  
*Calocarpum mammosum* 8, 290; sapota 290  
*Calochortus* 132  
*Camelina microcarpa* 136; rumelica 136  
*Camellia japonica* 143; sasanqua 25  
*Campanula carpatia* 149; persicifolia 19  
*Cananga odorata* 22, 25  
*Canavalia* 138  
*Canna* 366; coccinea 407; edulis 407-409; flaccida 133; indica 133; 407; paniculata 407  
*Capsella bursa-pastoris* 136  
*Capsicum* 288, 292, 297; annum 8, 174; frutescens 8, 23, 26  
*Carduus nutans* 150  
*Carica* 288; papaya 8, 292, 297  
*Carludovica palmata* 293, 297  
*Carpochaete wislizeni* 150  
*Carum carvi* 23, 24  
*Carya illinoensis* 11  
*Casimiroa edulis* 8  
*Cassia* 139; alata 138; biflora 138; corymbosa 138; covesii 139; durangensis 139; fasciculata 139; hirsuta 139; javanica 139; leptocarpa 139; lindheimeriana 139; cf. lindheimeriana 139; marilandica 274-277; occidentalis 292; roemeriana 139; tora 139; uniflora 139; cf. uniflora 139  
*Catha edulis* 67  
*Caucalis daucoides* 145  
*Cedrus atlantica* 131; deodara 131  
*Ceiba pentandra* 11  
*Cellulomonas* 157  
*Celosia cristata* 134  
*Celotropis gigantea* 146  
*Celtis australis* 133; occidentalis 133  
*Centaurea americana* 150; cyanus 150; dealbata 150; gymnocarpa 150; macrocephala 150; montana 150; moschata 150  
*Cephalotaxus harringtonia* var. drupaceae 131  
*Cerastium perfoliatum* 134; viscosum 134  
*Ceratocystis coerulescens* 199; fagarearum 207; ulmi 205  
*Ceratonía siliqua* 22, 25  
*Ceratopetalum gummiferum* 137  
*Cercidium floridum* 139; torreyanum 139  
*Cercocarpus montanus* 137  
*Cercospora nicotianae* 83  
*Cerex* 132; crinita 132; rostrata 132  
*Cerinthe minor* 147  
*Chaenactis* 150; alpina 150  
*Chaerophyllum tainturieri* 145  
*Chamaecyparis lawsoniana* 131  
*Chamaerops humilis* 132  
*Cheiranthus cheiri* 136  
*Chenopodium* 318; leptophyllum 134; nuttalliae 10  
*Chloris gayana* 131; virgata 131



- Chondrus crispum* 21, 25  
*Chrysalidocarpus lucubens* 132; *lutescens* 132  
*Chrysanthemoides monilifera* 150  
*Chrysanthemum coronarium* 150; *leucanthemum* 150  
*Cicer arietinum* 11  
*Cichorium intybus* 150  
*Cicuta douglasii* 145; *maculata* 145; *mexicana* 145  
*Cinchona* 24, 26  
*Cineraria* 387; *eruenta* 389, 390  
*Cineraria appendiculata* 388; *aurita* 388; *eruenta* 388; *hybrida* 389; *lactea* 388; *lanata* 388, 389; *malvaefolia* 388; *multiflora* 388; *ramentosa* 388; *tussilaginis* 388  
*Cinnamomum camphora* 22, 24; *cassia* 22, 24; *zeylanicum* 22, 24  
*Cirsium carolinianum* 150; *megacephalum* 150  
*Citron sinensis* 22  
*Citrullus vulgaris* 8, 292, 297  
*Citrus* 288, 292; *aurantifolia* 8, 22, 24; *aurantium* 22, 24; *var. amara* 22, 24; *bergamia* 22, 24; *limon* 22-26; *paradisi* 8; *reticulata* 8; *sinensis* 8, 24  
*Cladium jamaicense* 132  
*Cladosporium* 120-125, 162, 163, 252, 254, 372; *cladosporoides* 120, 252, 253; *cladosporoides* 372  
*Clarkia amoena* 144; *elegans* 144  
*Clematis flammula* 134; *paniculata* 134; *recta* 134; *viticella* 134  
*Cleome serrulata* 135  
*Clerodendrum trichotomum* 147  
*Clitoria ternatea* 139  
*Cocos nucifera* 11, 21, 26  
*Codiaeum variegatum* 293  
*Coffea arabica* 67, 292  
*Coix* 288; *laeryma-jobi* 293, 297  
*Colletotrichum* 82; *panacicola* 405  
*Collinsonia canadensis* 27  
*Comandra pallida* 133  
*Commiphora* 23, 27  
*Condalia* 143  
*Conium maculatum* 145  
*Conringia orientalis* 136; *planisiliqua* 136  
*Convolvulus* 416-428; *elongatus* 427; *farinosus* 427; *incanus* 146; *libanoticus* 427; *mauritanicus* 422, 427; *siculus* 427; *tricolor* 146, 420-426; *undulatus* 427  
*Copernicia cerifera* 21, 25  
*Cordylone indivisa* 132  
*Coreopsis basilica* 150; *grandiflora* 150  
*Coriander sativum* 10  
*Coriandrum sativum* 145  
*Cosmos bipinnatus* 150; *seemanni* 150  
*Cotoneaster acuminata* 137  
*Couepia* 137  
*Couroupita guianensis* 187  
*Cowania stansburiana* 137  
*Crambe abyssinica* 136; *orientalis* 136; *tatarica* 136  
*Crataegus crus-galli* 137  
*Crescentia* 288; *cujete* 10, 293-297  
*Crinum* 288  
*Crocus* 377, 378; *sativus* 21, 25, 378, 379  
*Crotalaria anargyroides* 139; *eriocarpa* 139; *cf. incana* 139; *intermedia* 139; *junceae* 139; *cf. longirostrata* 139; *mucronata* 139; *pumila* 139; *quinquefolia* 139; *retusa* 139; *spectabilis* 139  
*Croton fragilis* 141; *tigilium* 27  
*Cucumis melo* 8; *sativus* 8, 149  
*Cucurbita* 288, 292; *ficifolia* 8; *foetidissima* 149; *lundelliana* 149; *maxima* 13; *mixta* 8, 11, 14; *moschata* 9, 13, 14, 299; *pepo* 9-13  
*Cunninghamia lanceolata* 131  
*Cuphea ignea* 144; *llevea* 144  
*Cupressus arizonica* 131  
*Curcuma longa* 25  
*Cuscuta* 380  
*Cyamopsis tetragonoloba* 139  
*Cycas* 98; *circinalis* 99, 100; *revoluta* 99  
*Cymbopogon* 288; *citratus* 10, 21, 24, 292; *flexuosus* 21, 24; *martinii* 21, 24; *nardus* 21, 24  
*Cynara cardunculus* 150; *scolymus* 10, 150  
*Cynodon dactylon* 94-97  
*Cytisus albus* 139  
  
*Dactylis glomerata* 131  
*Dahlia pinnata* 150  
*Dalea albiflora* 139; *citriodora* 139; *frutescens* 274-277; *lagopina* 139; *mucronata* 139; *neglecta* 139; *nutans* 139; *psoraleoides* 139; *tomentosa* 139; *tuberculina* 139; *viridiflora* 139  
*Danae racemosa* 132  
*Daphniphyllum macropodum* 141  
*Datura discolor* 147; *inoxia* 147; *cf. inoxia* 147; *stramonium* 147  
*Daucus* 366; *carota* 9, 145, 361-367; *pusillus* 145  
*Delphinium grandiflorum* 134; *hybridum* 134; *occidentale* subsp. *cucullatum* 134; *tenuisectum* 134  
*Derris* 279, 368, 369  
*Descourainia pinnata* 136; *sophia* 136  
*Desmanthus acuminatus* 139; *virgatus* 139  
*Desmodium bellum* 139; *dillenii* 139  
*Dianthus barbatus* 134; *chinensis* 134  
*Dictamnus albus* 141  
*Digitalis purpurea* 148; *var. gloxiniae-flora* 148  
*Dimorphothea* 151; *chrysanthemifolia* 150; *cuneata* 150; *pluvialis* 150; *sinuata* 150; *zeyheri* 151  
*Dioscorea* 288, 295; *alata* 292; *trifida* 292  
*Diospyros ebenaster* 9  
*Disanthus cereidifolius* 137  
*Doronicum* 387; *caucasicum* 151; *eruentum* 388; *echinatum* 388; *malvaefolium* 388; *papyraceum* 388; *tussilaginis* 388; *webbii* 388  
*Dracocephalum moldavica* 147  
*Dracopis amplexicaulis* 151  
*Dyssodia cancellata* 151; *hartwegi* 151; *pentachaeta* 151; *pinnata* 151; *roseata* 151  
  
*Echinacea* 151; *angustifolia* 151  
*Echinochloa* 131  
*Echium plantagineum* 147  
*Elaeis guineensis* 21, 25, 26  
*Elephantopus scaber* 151  
*Eleutherococcus senticosus* 406

- Enecephalartos* 98  
*Endomyces* 165  
*Engelmannia pinnatifida* 151  
*Ensete* 65-70; *ventricosum* 65  
*Enterolobium cyclocarpum* 139  
*Eragrostis pilosa* 268; *tef* 268-273  
*Eremocarpus setigerus* 141  
*Erodium gruinum* 141  
*Eruca sativa* 136  
*Eryngium foetidum* 293; *planum* 145  
*Erysiphe cichoracearum* 84  
*Erythrina americana* 11; *flabelliformis* 139  
*Erythroxylon mexicanum* 141  
*Eschscholzia californica* 135  
*Eschweilera cordata* 187  
*Escobedia cf. crassipes* 148; *peduncularis* 148  
*Eucalyptus* 34, 35; *globulus* 23, 24  
*Eugenia caryophyllata* 23, 24  
*Eupatorium* 151; *eupatorium* 151; *hyssopinum* 151; *liebmannii* 151; *odoratum* 151  
*Euphorbia* 141; *euphosperma* 141; *heterophylla* 141; *lathyrus* 141; *myrsinites* 141; *parryi* 141  
  
*Falcaria vulgaris* 145  
*Fallugia paradoxa* 138  
*Felicia amelloides* 151  
*Ferula galbaniflua* 145  
*Festuca arundinacea* 131  
*Fibigia clypeata* 136  
*Flaveria trinervia* 151  
*Flavobacterium* 157, 161  
*Flemingia* 140  
*Flourensia cernua* 151; *pringlei* 151  
*Forestiera pubescens* 146  
*Fragaria* 366  
*Frasera parryi* 146  
*Fraxinus* 200  
*Froelichia floridana* 134  
*Fusanus spicatus* 22, 25  
*Fusarium* 99, 405; *oxysporium* 84; *sambucinum* 405; *sporotrichoides* 405  
*Gaillardia pinnatifida* 151; *pulchella* 151  
*Galium aparine* 148; *articulatum* 148  
*Garcinia hanburyi* 25  
*Gaultheria procumbens* 23, 25  
*Gaura suffulta* 144  
*Gelidium cartilagineum* 21, 25, 27  
*Genipa americana* 293, 297, 299  
*Geranium* 366; *carolinianum* 141  
*Gilia* 146; *pinnata* 146; *rigidula* 146  
*Gleditsia triacanthos* 274-277  
*Glyceria obtusa* 131; *striata* 131  
*Glycine max* 22, 25, 26  
*Glycobius speciosus* 199  
*Gossypium* 23-26; *anomalum* 366; *arborescens* 306; *hirsutum* 293  
*Grindelia oxylepis* 151  
*Guilielma* 288; *gasipaes* 302-315; *utilis* 293, 297, 298  
*Gustavia brasiliensis* 190; *speciosa* 190  
*Gypsophila elegans* 134; *porrigens* 134  
  
*Haematoxylon campechianum* 25  
*Hamamelis virginiana* 22-26  
*Hedeoma drummondii* 147  
*Hedysarum varium* 140  
  
*Helenium autumnale* 151; *lacinatum* 151; *oocinium* 151  
*Helianthemum nummularium* var. *mutabile* 144  
*Helianthus* 151, 318; *annuus* 24-26, 151; *ciliaris* 151; *maximiliani* 151  
*Helichrysum bracteatum* 151; *monstrosum* 151  
*Heliopsis helianthoides* 151; *laevis* 151; *pitheiriana* 151; *scabra* var. *zinniaeflora* 151  
*Helipterum manglesii* 151; var. *maculatum* 151; *roseum* 151  
*Helleborus niger* 134  
*Helminthosporium sativum* 120, 122  
*Heracleum lanatum* 145; *maximum* 145  
*Heterocephalum* 373; *aurantiacum* 119-122, 372  
*Heterodera tabacum* 83  
*Heterophragma adenophyllum* 148  
*Hevea* 216  
*Hibiscus abelmoschus* 143; *cannabinus* 143; *esculentus* 143, 293; *grandiflorus* 143; *lasiocarpus* 143; *moscheutos* 143; *sabdariffa* 11; *syriacus* 143  
*Hippophae rhamnoides* 144  
*Hordeum* 350-360; *deficiens* 359; *distichon* 359; *spontanum* 355-359; *tetrastichum* 359; *vulgare* 359  
*Hormodendrum* 163  
*Hovenia dulcis* 143  
*Hyacinthus* 366  
*Hydrocotyle bonariensis* 145  
*Hydrangea paniculata* 137  
*Hylocereus undatus* 9  
*Hymenocallis americana* 293  
*Hymenopappus artemisiaefolius* 151  
*Hyoscyamus reticulatus* 147  
*Hypericum perforatum* 25  
*Hypericum cistifolium* 143; *tetrapterum* 143  
*Hyptis* 293; cf. *americana* 147; *decurrens* 147; *suaveolens* 147  
  
*Iberis amara* 136; *umbellata* 136  
*Idesia polycarpa* 144  
*Ilex serrata* 142  
*Indigofera densiflora* 140; *jaliscensis* 140; *tinctoria* 22, 25; *zollingeriana* 140  
*Inga edulis* 293, 297  
*Iostephane heterophylla* 151  
*Ipomoea* 146, 416-428; *aitonii* 427; *alba* 420, 424, 425; *batatas* 9, 119-127; *bicolor* 427; *cardinalis* 427; *coccinea* 424, 425; var. *hederifolia* 421; *digitata* 427; *diversifolia* 427; *hederacea* 146; *hederifolia* 427; *hirsutula* 427; *hybrida* 422; *lindheimeri* 421, 425, 426; *muricata* 424, 427; *nil* 416-427; *orizabensis* 427; *parasitica* 146; *purpurea* 416, 420-427; *rubro-caerulea* 416; *sibirica* 427;  $\times$  *sloteri* 420, 425; *tricolor* 416; *triloba* 427; *violacea* 416-427  
*Iris florentina* 21, 26; *germanica* 21, 26; *missouriensis* 132, 133; *pallida* 21, 26  
*Isatis sucheri* 136; *tinctoria* 136  
*Isomeris arborea* 135  
*Iva* 318  
  
*Jacquinia pungens* 146  
*Jasminum* 293, 366; *fruticans* 146; *grandiflorum* 23, 24


- Jatropha manihot* 251-255  
*Jatropha cordata* 141; *eureas* 293; *maerorhiza* 141  
*Jugastron christii* 187  
*Juglans nigra* 21, 25  
*Juncus effusus* 132  
*Juniperus* 103, 104; *oxycedrus* 21, 24, 26; *virginiana* 131  
*Jussiaea leptocarpa* 144  
*Krameria* 27  
*Lactobacillus* 164  
*Lactuca sativa* 10  
*Lagenaria siceraria* 10  
*Lagerstroemia indica* 144; *speciosa* 144; *to-mentosa* 144  
*Laminaria digitata* 26; *saccharina* 21, 26  
*Lantana* 147  
*Lappula redowskii* 147  
*Larrea divaricata* 141  
*Lavandula* 147; *vera* 23, 24  
*Lavatera* 143; *assurgentiflora* 143; *trimestris* 143  
*Lawsonia inermis* 23, 25  
*Lechea tenuifolia* 144; *villosa* 144  
*Lecythis curranii* 187; *elliptica* 187; *hipartita* 187; *longifolia* 187, 190; *minor* 187, 190; *ollaria* 187-195; *paraensis* 190; *vernusta* 190; *zabucayo* 187  
*Lens culinaris* 11  
*Leonotis nepetaefolia* 147  
*Lepidium draba* 136; *lasiocarpum* 136; *montanum* var. *angustifolium* 136; *perfoliatum* 136; *virginicum* 136  
*Lesquerella angustifolia* 136; *argyraea* 136; *densipila* 136; *engilmanii* 136; *fendleri* 136; *globosa* 136; *gordonii* 136; *gracilis* 136; *grandiflora* 136; *lasiocarpa* 136; *lescurei* 137; *lindeheimeri* 137; *ovalifolia* 137; *pinetorum* 137  
*Leucaena esculenta* 11; *lanceolata* 140; *leucocephala* 140; *retusa* 140  
*Levisticum officinale* 145  
*Liatris odoratissima* 24, 27; *pycnostachya* 151  
*Libocedrus decurrens* 131  
*Ligusticum porteri* 145  
*Ligustrum japonicum* 146  
*Limnanthus* 71-75; *alba* var. *alba* 72; var. *versicolor* 72; *bakeri* 72; *douglasii* 71, 74, 142; var. *douglasii* 72; var. *nivea* 72; var. *rosea* 72, 74; *floccosa* var. *floccosa* 72; *gracilis* var. *parishii* 72-74; *montana* 72; *striata* 72, 74  
*Limnoscium pumilum* 145  
*Linderia pennisporea* 120, 121, 252  
*Linum* 141; *australe* 141; *grandiflorum* 141; *perenne* 141; *usitatissimum* 22, 25, 26  
*Lippia durangense* 147  
*Liquidambar* 200; *styraciflua* 205  
*Liriodendron tulipifera* 196  
*Litsea glaucescens* 135  
*Lobularia maritima* 137  
*Lolium perenne* 131; *temulentum* 131  
*Lomatium daucifolium* 145; *nudicaule* 145  
*Lonas annua* 151  
*Lonchocarpus* 279, 368, 369  
*Lotus scoparius* 140  
*Lucuma mammosa* 299  
*Lunaria annua* 137  
*Lupinus* 140; *latifolius* 140; *stipulatus* 140; *texasensis* 140  
*Lychnis chalconica* 134  
*Lycium chinense* 147  
*Lycopersicon* 297; *esculentum* 9; var. *cerasiforme* 293  
*Lysiloma acapulcensis* 140  
*Lythrum salicaria* 18, 25  
*Macrocytis pyrifera* 21, 26  
*Macrozamia* 98  
*Magnolia grandiflora* 135; *macrophylla* 135  
*Majorana hortensis* 23, 25  
*Malachra capitata* 143  
*Malcomia maritima* 137  
*Malope trifida* 143  
*Malus sylvestris* 9  
*Malva* 143  
*Mammea americana* 290, 292, 297  
*Manfreda* 132  
*Mangifera* 288; *indica* 9, 292  
*Manihot* 288, 296; *esculenta* 251-255, 292, 298, 408; *isoloba* 141; *rubricaulis* 141; *utilissima* 251-255  
*Manilkara sapotilla* 298; *zapotilla* 9, 292  
*Maranta* 408; *arundinacea* 21, 26  
*Marmor enodens* 85; *tabaci* 85  
*Marrubium vulgare* 147  
*Marsh gilensis* 149  
*Marshallia caespitosa* var. *signata* 151  
*Maximowiczia sonorsae* 149  
*Medicago turbinata* 140  
*Melaleuca cajuputi* 31  
*Melicoeca bijuga* 299  
*Matricaria chamomilla* 24, 25  
*Melaleuca leucadendron* 31; *minor* 31; *quinquenervia* 31-39; var. *cunninghami* 31; var. *flos-virida* 31; var. *mimosoides* 31; var. *lanceifolia* 31; var. *minor* 31, 34; *saligna* 31; var. *viridiflora* 31, 34; *saligna* 31; *viridiflora* 31  
*Melampodium perfoliatum* 151  
*Melilotus indicus* 140; *officinalis* 140  
*Meliosma myriantha* 142  
*Melochia hirsuta* 143  
*Mentha* 10  
*Mespilus germanica* 138  
*Micrococcus candidus* 161  
*Microzamia spiralis* 99  
*Mimosa aculeaticarpa* 140  
*Mirabilis* 288; *jalapa* 293, 296  
*Modiola caroliniana* 143  
*Moluccella laevis* 147  
*Mollugo verticillata* 134  
*Momordica balsamina* 149; *charantia* 149, 293  
*Monarda punctata* 147  
*Monnina wrightii* 141  
*Monosepalum* 215  
*Montanoa arborescens* 151  
*Morus rubra* 133  
*Mucor* 164, 165; *italianus* 163; *racemosus* 163  
*Musa* 65, 288, 296; *paradisica* 291, 292, 297; var. *sapientum* 9  
*Mycospora* 99  
*Myosotis sylvatica* 147  
*Myrcia acris* 23, 24



- Myrica cerifera* 133; *pennsylvanica* 21, 25, 133  
*Myristica fragrans* 22, 24  
*Myrotheicum verrucaria* 372  
*Myroxylon balsamum* 22, 26; *perceirae* 22, 25  
  
*Nama havardii* 146  
*Nasturtium officinale* 10, 137  
*Nepeta congesta* 147  
*Neptunia pubescens* 140  
*Nereocystis luetkeana* 21, 26  
*Nerum oleander* 146, 293  
*Nerisyrenia camporum* 137  
*Neurolaena lobata* 151  
*Neurospora* 158  
*Nicotiana* 76-88, 366; subg. *Petunioides* 81, 84; subg. *Rustica* 81; subg. *Tabacum* 81; sect. *Suaveolentes* 81, 83; sect. *Tomentosae* 85; *acaulis* 80, 86; *acuminata* 80, 84-86; *affinis* 83; *alata* 80-86, 147; *ameghinoides* 80, 82; *amplexicaulis* 80, 82; *angustifolia* 86; *arensii* 80-86; *attenuata* 80, 84, 86; *benavidesii* 80, 82; *benthamiana* 80, 84, 86; *bige-lovii* 80, 84, 86; *bonariensis* 80, 85, 86; *cavicola* 80, 86; *clevelandii* 80, 85; *cordifolia* 80, 86; *corymbosa* 80, 82; *debneyi* 78-85; *excelsior* 80, 84; *exigua* 80-85; *forgetiana* 80-83; *fragrans* 80, 84, 86; *glauca* 80-86; *glutinosa* 77-80, 94, 85; *goodspeedii* 80-86; *gossei* 79-82, 86; *hesperis* 80, 83, 84; *ingulba* 80, 83; *knightiana* 80-85; *langsдорffii* 80-85; *linearis* 80, 82; *longibracteata* 80, 82; *longiflora* 77-86; *maritima* 80, 82, 86; *megalosiphon* 80-85; *miersii* 80, 82; *nesophila* 80-84; *noctiflora* 80; *nudicaulis* 80-86; *occidentalis* 80-84; *otophora* 76, 80, 83, 85; *palmeri* 80-84; *paniculata* 80-85; *pauciflora* 80, 84; *petunioides* 80, 83; *plumbaginifolia* 80-86; *raimondii* 80, 84-86; *repanda* 79-86; *rosulata* 80, 83; *rotundifolia* 80; *rustica* 80, 82, 86; *sanderiae* 80-86; *setchellii* 80, 85; *simulans* 80, 83; *solanifolia* 80, 82; *spagazzinii* 80, 82; *stocktonii* 80, 82; *suaveolens* 81-86; *sylvestris* 76, 79-84; *tabacum* 76-86, 293, 364; *thyrsiflora* 81, 82; *tomentosa* 81-85; *tomentosiformis* 81-85; *trigonophylla* 81-84; *umbratica* 81, 82; *undulata* 81-86; *velutina* 81-86; *wigandioides* 81-85  
*Nigella damascens* 134  
*Nolana atriplicifolia* 427  
*Nolina durangensis* 132  
*Nymphaea odorata* 366  
  
*Ocimum* 293; *sanetum* 147  
*Oenothera* 144; *drummondii* 144; *laciniata* 144; *lamareckiana* 144; *missouriensis* var. *incana* 144; *serrulata* 144  
*Olea europaea* 23-26, 223-243; var. *oleaster* 223  
*Oncoba spinosa* 144  
*Onobrychis arenaria* 140; *argyrea* 140  
*Onopordum acanthium* 151, 380; *arabicum* 152  
*Ophrys bifolia* 25; *ovata* 25  
*Opuntia* 10, 293  
*Ornithogalum nutans* 132  
*Oryza perennis* subsp. *balunga* 402; *sativa* 11, 21, 26, 291, 292, 396-402  
  
*Osmorhiza occidentalis* 145  
*Osteospermum amplexans* 152; *calendulaceum* 152; *caulescens* 152; *clandestinum* 152; *dregei* 152; *ecklonis* 152; *hyoseroides* 152; *juncum* 152; *muricatum* 152; *scariosum* 152; *sinuatum* 152; *spinescens* 152  
*Oxalis europaea* 141; *tuberosa* 7, 10  
*Oxytropis lambertii* 140; *sericea* 140  
  
*Pachyrhizus tuberosus* 10  
*Pachyrhizus vernalis* 140  
*Paeonia* 366; *peregrina* 134  
*Paliurus spina-christi* 143  
*Panax ginseng* 403-406  
*Panicum coloratum* 131; *daetylon* 94  
*Papaver* 380; *rhoeas* 135  
*Paracaryum caelestinum* 147  
*Parinarium* 138  
*Parkinsonia aculeata* 140  
*Parthenocissus quinquefolia* 143; *tricuspidata* var. *veitchii* 143  
*Passiflora ligularis* 9, 15  
*Pastinaca sativa* 145  
*Pedicularis groenlandica* 148  
*Pelargonium* 22, 24  
*Penicillium* 158, 161-165; *brevicompectum* 162; *chrysogenum* 163; *citrinum* 163; *cyclopium* 163; *expansum* 162; *frequentans* 163; *funiculosum* 163; *luteum* 164; *oxalicum* 164; *patris-mei* 162  
*Pennisetum ciliare* 131; *ciliare villosum* 131  
*Penstemon* 148; *australis* 148; *campanulatus* 148; *centranthifolius* 148; *fendleri* 148; *havardi* 148; *kunthii* 148; cf. *kunthii* 148; *spectabilis* 148  
*Pentzia* 152; *sphaerocephala* 152  
*Perezia platyphylla* 152  
*Pericallis* 386, 387; *cruenta* 388; *echinatus* 388; *lanata* 388; *papyracea* 388; *populifolia* 388  
*Perityle* 152  
*Peronospora tabacina* 83  
*Persea* 175, 288; *americana* 9, 25, 292, 297, 298; var. *drymifolia* 169, 173, 174  
*Petalostemon cerneus* 140; *emarginatus* 140; *feayi* 140; *pulcherrimum* 140; *purpureum* 140  
*Petroselinum crispum* 10  
*Phacelia congesta* 146; *integrifolia* 146; *robusta* 146  
*Phalaris tuberosa* 278  
*Pharbitis nil* 416  
*Phaseolus coccineus* 11; *lunatus* 11; *vulgaris* 11, 292  
*Philadelphus grandiflorus* 137  
*Phleum pratense* 131  
*Phoma crocophylla* 384  
*Physalis alkekengi* 147; *ixocarpa* 9; *nican-droides* 147  
*Phytophthora cactorum* 405; *parasitica* 82; var. *nicotianae* 76  
*Picea abies* 131  
*Pierarnia pentandra* 141  
*Pilocarpus jaborandi* 22, 26; *microphyllus* 22, 26  
*Pimenta officinalis* 23, 24  
*Pimpinella anisum* 145

- Pinus* 11; *cembroides* 103; *culminicola* 103; *edulis* 103-105; *flexilis* 131; *monophylla* 103, 104; *nelsoni* 103; *palustris* 21, 26, 27; *pinceana* 103; *quadrifolia* 103; *sylvestris* 21, 24  
*Pistacia lentiscus* 23, 27  
*Pisum sativum* 11; var. *arvense* 140  
*Pithecellobium mexicanum* 140; *undulatum* 140  
*Pittosporum tobira* 137  
*Pituranthos aphylla* 145  
*Plantago aristata* 148; *indica* 24, 26; *ovata* 24, 26; *psyllium* 24, 26; *rhodosperma* 148; *wrightiana* 148  
*Platanus occidentalis* 137  
*Pleioygnium solandri* 142  
*Poa bulbosa* 131  
*Podachaenium emiens* 152  
*Podocarpus macrophylla* 131  
*Pogostemon patchouli* 23, 24  
*Poinciana pulcherrima* 293  
*Polanisia* 135  
*Polemonium caeruleum* 25  
*Polygonum kitaibelianum* 133; *pensylvanicum* 133; *punctatum* 133  
*Polymnia sonchifolia* 414; *uvudalia* 152  
*Polytsenia nuttallii* 145  
*Pongamia* 140  
*Portulaca oleracea* 10  
*Potentilla arguta* subsp. *convallaria* 138; *hirta* 138; *pulcherrima* 138; *recta* 138  
*Pothomorphe peltata* 293, 297  
*Pouteria campechiano* var. *salicifolia* 9; *campechianum* 290; *mammosa* 290  
*Prionosciadium* 145  
*Proboscidea* 148; *altheaefolia* 148  
*Prosopis chilensis* 410; *juliflora* 140; *tamarugo* 140  
*Prosopis glandulosa* 274-277  
*Prunus amygdalus* 22; var. *amara* 25, 26; var. *dulcis* 25, 26; *armeniaca* 25; *ilicifolia* 138; *persica* 25, 138; *serotina* 11; *virginiana* 138  
*Pseudomonas solanacearum* 77, 84; *tabaci* 77, 86  
*Psidium guajava* 9  
*Psilostrophe* cf. *gnaphalioides* 152  
*Ptelea trifoliata* var. *mollis* 141  
*Pulsatilla vulgaris* 134  
*Punica granatum* 9  
*Pyracantha coccinea* 138  
*Pyrus communis* 9; *cydonia* 22, 25; *malus* 9  
  
*Quamoclit coccinea* 427  
*Quassia amara* 293  
*Quercus* 196, 200, 207; *infectoria* 21, 25, 26  
*Quillaja saponaria* 22, 26  
  
*Ramularia* 405  
*Randia* 148  
*Ranunculus arvensis* 135; *constantinopolitanus* 135; *sceleratus* 135  
*Raphanus raphanistrum* 137; *sativus* 10, 137  
*Rapistrum rugosum* 137  
*Ratibida columnifera* 152; *tagetes* 152  
*Reseda lutea* 137; *odorata* 137  
*Reverchonia arenaria* 142  
*Rhedea* 290  
  
*Rheum* 25  
*Rhizoctonia* 405; *crocorum* 384; *solani* 405; *violacea* var. *crocorum* 384  
*Rhizopus* 158, 163, 165; *nigricans* 163, 164  
*Rhodotypos tetrapetala* 138  
*Rhus copellina* 142; *glabra* 142; *trilobata* var. *pilosissima* 142  
*Rhynchosia pyramidalis* 140  
*Ricinus communis* 23-26; var. *cambodgensis* 142; var. *gibsonii* 142; var. *sanguineus* 142; var. *zanziberensis* 142  
*Rivea* 416-428; *corymbosa* 146, 416-427  
*Rocella tinctoria* 27  
*Rosa* 138; *damascena* 22, 24; *gallica* 22, 24  
*Rosmarinus officinalis* 23, 25  
*Rubus* 138; *idaeus* var. *strigosus* 138; *parviflorus* 138  
*Rudbeckia grandiflora* var. *alismaefolia* 152; *hirta* var. *pulcherrima* 152; *maxima* 152  
*Rumex* 133, 318; *acetosella* 133; *altissimus* 133; *crispus* 133; *obtusifolius* 133  
  
*Saccharum* 288; *officinatum* 11, 27, 293  
*Salix* 380  
*Salmonella* 102, 162; *typhimurium* 102  
*Salvia* 147; *carduacea* 147; *ceratophylla* 147; *farinacea* 147; *hispanica* 147; *lyrata* 147; *officinalis* 23-26; *reflexa* 147; *syriaca* 147; *tehihatcheffii* 147; *texana* 147  
*Sambucus nigra* 24; *pubens* 148  
*Sanguisorba minor* 138  
*Sapindus saponaria* 142; *trifoliata* 142  
*Saponaria vaccaria* 429-433; *viscosa* 134  
*Sapota zapatilla* 299  
*Sarcina* 157  
*Sassafras albidum* 22, 25  
*Scabiosa japonica* 148  
*Schinopsis balansae* 25; *lorentzii* 25  
*Schinus molle* 142, 409  
*Schizanthus wisetonensis* 147  
*Schkuhria wrightii* 152  
*Sclerocarpus spathulatus* 152  
*Scorzonera hispanica* 152  
*Scutellaria drummondii* 147  
*Sechium edule* 9  
*Selenia grandis* 137  
*Senecio* 153, 386, 387, 392; sect. *Pericallis* 388, 394; *appendiculatus* 388, 390; *bicolor* 390; *coelestis* 390; *cruentus* 386-395; *echinatus* 388-391; *formosa* 390; *gomeraeus* 388; *hadrosomus* 388; *hartwegii* 152; *hendersonii* 390; *heritieri* 386-394; *hieracifolius* 152; *hybridus* 389; *maderensis* 388, 390; *malvaefolius* 388; *multiflorus* 388, 392; *murrayi* 388; *papyraeus* 388-391; *populifolius* 388, 390; *pulchella* 390; *schaffneri* 152; *steetzii* 388; *tussilaginis* 388-393; *waterhousiana* 390; *webbii* 388, 390  
*Sericocarpus asteroides* 153  
*Sepedonium ampullosporum* 120, 122  
*Serratia* 161  
*Sesamum indicum* 24-26  
*Sesbania drummondii* 140  
*Setaria verticillata* 131  
*Seymeria glandulosa* 148  
*Sibera virginica* 137  
*Sicyos angulata* 149

- Sida corymbosa* 143; *rhombifolia* 293  
*Sideritis montana* 147  
*Sideroxylon angustifolium* 146  
*Silene densiflora* 134; *supina* 134; *vulgaris* 134  
*Simmondsia chinensis* 142  
*Simsia amplexicaulis* 153; *calva* 153; *lagas-caeformis* 153  
*Sinapis arvensis* 137  
*Sisymbrium irio* 137  
*Sisyrinchium* 133  
*Solanum elaeagnifolium* 147; *mammosum* 293; *tuberosum* 10, 23, 26  
*Sonchus oleraceus* 153  
*Sophora* 27, 29; *secundiflora* 140  
*Sorghum aluum* 131; *bicolor* 131, 132  
*Spartium junceum* 140  
*Spicaria elegans* 252, 253, 372  
*Spilanthus ocyimifolia* 293  
*Spinacia oleracea* 134  
*Spermolepis inermis* 145  
*Spondias mombin* 174  
*Staphylea pinna* 142  
*Stegnosperma* 366  
*Sterculia apetala* 143; *urens* 23-27  
*Sterigmatocystis alba* 157  
*Stevia* 153; *rhombifolia* var. *uniaristata* 153; *serrata* 153; var. *arguta* 153; var. *linoidea* 153; *viscida* 153  
*Streptocarpus* 366  
*Streptopus amplexifolius* 132  
*Strychnos nux-vomica* 23, 26  
*Styrax benzoin* 23, 27; *obessia* 146  
*Swertia japonica* 27  
*Symphoricarpos orbiculatus* 148  
*Syncephalastrum* 164  
*Syringa vulgaris* 146  
  
*Tabebuia palmeri* 148  
*Tagetes erecta* 293; *lucida* 153; *subulata* 153  
*Tamarindus indica* 9  
*Tamarix gallica* 144  
*Taraxacum officinale* 153  
*Taxodium distichum* 131  
*Tephrosia* 368-371; *leiocarpa* 140; *vogelii* 279-284, 368-371  
*Terminalia bucceras* 144  
*Tetraelinis articulata* 21, 27  
*Thalictrum dipterocarpum* 135  
*Thelesperma ambiguum* 153; *megapotamicum* 153  
*Thelypodium texanum* 137  
*Themeda triandra* 132  
*Theobroma cacao* 23, 25, 293  
*Thevetia thevetioides* 146  
*Thielaviopsis basicola* 82  
*Thlaspi arvense* 137; *perfoliatum* 137  
*Thuja occidentalis* 21, 25  
*Thymus vulgaris* 23, 25  
*Tithonia* 153; *calva* 153; *thurberi* 153; *tu-baeformis* 153  
*Tofieldia occidentalis* 132  
*Torilia japonica* 145  
*Tragopogon major* 153; *pratensis* 153  
*Trichoderma* 372, 375  
*Trigonella foenum-graecum* 140, 268  
*Tripsacum* 213  
*Triticum* 214, 350-360; *aestivum* 21, 26, 213, 353-355; *boeoticum* 351, 352; *compactum* 354, 355; *dicoecoides* 352, 355; *dicoecum* 351-355; *monococcum* 351; *spelta* 350, 354, 355; *sphaerococcum* 355; *vulgare* 354  
*Triumfetta brevipes* 143  
*Trixis radialis* 153  
*Tropaeolum* 141  
*Turbina corymbosa* 416  
  
*Ulmus americana* 205; *pumila* 133  
  
*Valerianella radiata* 148  
*Vanilla planifolia* 21, 27  
*Verbascum* 148; *thapsus* 26, 148  
*Verbena bipinnatifida* 147; *rigida* 147; *triphylia* 23, 25  
*Verbesina encelioides* var. *exauriculata* 153; *serrata* 153; var. *pringlei* 153  
*Verbascum thapsus* 23  
*Vernonia anthelmintica* 153; *deppeana* 153; *liatroides* 153; *pallens* 153  
*Veronica longifolia* 148; *peregrina* 148; *spicata* 148  
*Verticillium albo-atrum* 199  
*Vetiveria zizanioides* 21, 25  
*Vicia angustifolia* 140; *desycarpa* 140; *fabia* 11; *leavenworthii* 140; *noeana* 140; *sativa* 140; *villosa* 140  
*Viguiera ciliata* 153; *decurrens* 153; *dentata* 153; *hypargyrea* 153; *linearis* 153; *stenoloba* 153  
*Vinea rosea* 146  
*Viola guatemalensis* 135  
*Vitis* 26, 27; *berlandieri* 46; *labrusca* 46; *riparia* 46; *rupestris* 46; *solonis* 46; *vinifera* 46-64  
  
*Wiedemannia orientalis* 147  
  
*Xanthosoma* 288, 295, 296; *sagittifolium* 408  
*Xanthosoma violaceum* 292  
  
*Yucca aloifolia* 11; *elata* 132; *schidigera* 132; *schottii* 132  
  
*Zaluzania* 153; *discoidea* 153  
*Zamia* 98; *debilis* 99; *floridana* 100  
*Zea mays* 11, 21, 26, 291, 292, 297, 408  
*Zeuxine stratiomatica* 215  
*Zinnia elegans* 293  
*Ziziphus jujuba* 143  
*Zygophyllum fabago* 141



# ECONOMIC BOTANY

Devoted to Applied Botany and Plant Utilization

Founded by

Edmund H. Fulling

Publication of The Society for Economic Botany

VOLUME XX

1966

Published for The Society

by


THE NEW YORK BOTANICAL GARDEN

Printed by

Monumental Printing Company

Baltimore, Maryland





## TABLE OF CONTENTS

### No. 1. JANUARY-MARCH

News of The Society for Economic Botany		1
New Crops—Visionary Dream or Practical Reality	<i>Ivan A. Wolff</i>	2
Food Plants in a Mexican Market	<i>Thomas W. Whitaker and Hugh C. Cutler</i>	6
The Use of Plants in Hair and Scalp Preparations	<i>Frank C. Roia, Jr.</i>	17
The Cajeput Tree—A Boon and an Affliction	<i>Julia F. Morton</i>	31
Palm Sugar—A Plantation Industry in India	<i>P. C. Vasaniya</i>	40
The History of the Grape-Vine in the Holy Land	<i>Asaph Goor</i>	46
The Production and Utilization of the Genus <i>Ensete</i> in Ethiopia	<i>Taye Bezuneh and Asrat Feleke</i>	65
Effect of Temperature on Seed Germination of Ten Species and Varieties of <i>Limnanthes</i>	<i>S. J. Toy and B. C. Willingham</i>	71
The Genus <i>Nicotiana</i> : A Source of Resistance to Disease of Cultivated Tobacco	<i>L. G. Burk and H. E. Heggstad</i>	76
Fungal Protein for Food and Feeds. I. Introduction	<i>William D. Gray</i>	89
Bermuda Grass—Worldly, Wily, Wonderful Weed	<i>William R. Kneebone</i>	94
Research Progress on Cycads	<i>Marjorie Whiting, Maria Spatz and Hiromu Matsumoto</i>	98
The Pinyon Pines and Man	<i>George G. Fogg</i>	103
Book Reviews		106

### No. 2. APRIL-JUNE

News of The Society for Economic Botany		117
Announcement of Selenium Symposium		118
Fungal Protein for Food and Feeds. II. Whole Sweet Potato as a Substrate	<i>William D. Gray and Mohamed O. Abou-El-Seoud</i>	119
Chemical Analyses of Seeds II: Oil and Protein Content of 759 Species	<i>Quentin Jones and F. R. Earle</i>	127
Microbiology of Flours	<i>C. W. Hesseltine and R. R. Graves</i>	156
Archeological Evidence for Selection in Avocado	<i>C. Earle Smith, Jr.</i>	169
Hemp Growing in the Republic of Korea	<i>Jeung Haeng Ree</i>	176
The Depilatory and Cytotoxic Action of "Coco de Mono" ( <i>Lecythis ollaria</i> ) and its Relationship to Chronic Seleniosis	<i>Francisco Kerdel-Vegas</i>	187
Sugar Maple Decline: An Evaluation	<i>Arthur H. Westing</i>	196
Book Reviews		213

TABLE OF CONTENTS, VOLUME 20, 1966

No. 3. JULY-SEPTEMBER

News of The Society for Economic Botany	221
In Memoriam—P. Maheshwari	221
In Memoriam—Basil George Christidis	222
The Place of the Olive in the Holly Land and its History Through the Ages Asaph Goor	223
Leaf Protein Concentrates: A Comparison of Protein Production Per Acre of Forage with that from Seed and Animal Crps Walter A. Akeson and Mark A. Stahmann	244
Fungal Protein for Food and Feeds. III. Manioc as a Potential Crude Raw Material for Tropical Areas William D. Gray and Mohamed O. Abou-El-Seoud	251
Cottonseed's Role in a Hungry World M. G. Lambou, R. L. Shaw, K. M. Decossas, and H. L. E. Vix	256
Chemical Composition of Teff ( <i>Eragrostis tef</i> ) Compared with that of Wheat, Barley and Grain Sorghum Melak H. Mengesha	268
The Phenylethylamine Alkaloids of Native Range Plants Bennie J. Camp and Michael J. Norvell	274
Recovery of Natural Insecticide from <i>Tephrosia vogelii</i> . I. Efficiency of Rotenoid Extraction from Fresh and Oven-dried Leaves Donald K. Barnes and Ruben H. Freyre	279
Studies of Cultivated Plants in Choco Dwelling Clearings, Darien, Panama Alan P. Covich and Norton H. Nickerson	285
Pejibaye Palm: Yields, Prices and Labor Costs Carl L. Johannessen	302
The Present State of Ethnobotany in the Southwest Alfred F. Whiting	316
Book Reviews	326

No. 4. OCTOBER-DECEMBER

Announcement	349
1966—Commentary on the Phylogenesis of <i>Triticum</i> and <i>Hordeum</i> Hans Helbaek	350
Occurrence of Petaloid Stamens in Wild Carrot ( <i>Daucus carota</i> ) from Sweden Gilbert D. McCollum	361
Recovery of Natural Insecticides from <i>Tephrosia vogelii</i> . II. Toxicological Properties of Rotenoids Extracted from Fresh and Oven-dried Leaves Donald K. Barnes and Ruben H. Freyre	368
Fungal Protein for Food and Feeds. IV. Whole Sugar Beets or Beet Pulp as a Substrate William D. Gray and Mohamed O. Abou-El-Seoud	372
Saffron C. L. Madan, B. M. Kapur and U. S. Gupta	377
A Review of the Origin and Development of the Florists' Cineraria, <i>Senecio cruentus</i> T. M. Barkley	386
The Evolution of Plant Type in <i>Oryza sativa</i> Peter R. Jennings	396
Recent Advances In Our Knowledge of the Morphology, Cultivation and Uses of Ginseng ( <i>Panax ginseng</i> C. A. Meyer) A. Baranov	403
Achira, the Edible Canna, Its Cultivation and Use in the Peruvian Andes Daniel W. Gade	407
Alkaloids and Lipids of <i>Ipomoea</i> , <i>Rivea</i> and <i>Convolvulus</i> and Their Application of Chemotaxonomy K. Genest and M. R. Sahasrabudhe	416
Utilization and Agronomic Studies of Cow Cockle ( <i>Saponaria vaccaria</i> ) K. J. Goering, R. F. Eslick, C. A. Watson and Jium Keng	429
A Collection of Maize from Darien, Panama Norton H. Nickerson and Alan P. Covich	434
The Evolution of Glumeless Sweet Corn Walton C. Galinat	441
Bibliography of American Archaeological Plant Remains C. Earle Smith, Jr., Eric O. Cullen, Hugh C. Cutler, Walton C. Galinat Lawrence Kaplan, Thomas W. Whitaker and Richard A. Yarnell	446
Book Reviews	461
Index to Volume 20	473

